

Henken Hoof trimming crushes



Hoof trimming crush type L

Article number 1172

Spacious crush, with good back leg fixation, and sufficient space for doing the cow's udder.

- Self catching front gate
- Front gate can be fully opened
- 2 x 16 cm wide belly bands
- Self-locking winches with folding handle
- Checkered plate floor
- Hot-dip galvanized
- With ergonomic front leg support type G
- Rubber on the front leg pedals
- Back tube with leg fixation system
- Gas spring in the back tube
- Fork lift tubes for transportation with telehandler

Size	Inside	Outside
Length	172 cm	238 cm
Width	75 cm	124 cm
Height	170 cm	220 cm

 345 kg



Hoof trimming crush type L



Options for crush type L:

- 10084 Wheel set heavy
- 10125 Belly band 18cm heavy
- 10137 Leg hook
- 10142 Work light
- 10145 Disk grinder support
- 10147 Rotating tool holder
- 10149 230v Power point on the rotating tool holder
- 10152 Set of folding fences high
- 10171-400 Electric winch back legs 400v type L
- 10174 Electric winch belly band
- 10177 Electric winch front leg support
- 10179 Electric winch back tube
- 1018-10 Non-slippery rubber mat 10mm
- 1020 Lift hole
- 1022 Knife holder 2x
- 1062 Front door wide opening
- 1066 Plate le + ri

Hoof trimming crush type L profi

Article number 1171

User-friendly stand for the modern dairy farmer.

Benefits:

- Easier work on the udder
- Solid power flow motors with worm gear reduction
- Very neatly finished electricity
- Thermal protection and emergency stop
- 2 x 18 cm heavy belly bands
- 5 electrical functions:
 - Belly bands
 - Back tube
 - Back leg
 - Front leg left
 - Front leg right

Standard with:

- Electric rear leg winch
- Electric belly band
- Electric front leg support
- Electric back tube
- Non-slippery rubber mat 10 mm
- Rubber on the front leg pedals
- Rotating tool holder
- 230v power point on the rotating tool holder
- Lift hole
- Power cable guide
- Power cable 4 mtr. with plug
- Heavy belly bands 18cm
- Work light
- Knife holder 2x
- Leg hook
- Fork lift tubes for transportation with telehandler


This crush is standard equipped with 400v Motors and has a 5 pole connection with 3 phases + zero + ground.

Size	Inside	Outside
Length	172 cm	238 cm
Width	75 cm	115 cm
Height	170 cm	226 cm

 500 kg



Hoof trimming crush type L profi



Options for crush type L profi:

10084 Wheel set heavy

 31kg

10152 Set of folding fences high

Height 117cm
Length 180cm

 45kg

1062 Front door wide opening

Opening when front gate is closed:
20-25-30cm
Also suitable for cattle with horns.

1016 Remote control

Very solid and robust remote control.

With 8 push buttons, operation of all 4 motors on the machine.

A strong magnet is placed at the back, so that the unit can be placed anywhere.

The standard push buttons are omitted.

Hoof trimming crush type L hydra

Article number 1173

Fully hydraulic crush.
Everything works with cylinders.
Work even faster.

9 Hydraulic functions:


- Open the front gate, and put in catching position
- Black tube
- Elevator
- Belly bands
- Back leg
- Front leg left
- Leg support left
- Front leg right
- Leg support right



Further provided with:

- 30cm elevator
- 2x 18cm heavy belly band
- 3x led work light
- Rotating grinder holder with power plug
- Hot dip galvanized
- 10mm rubber mat
- Leg hook
- Silent oil pump
- Front leg foot pedals 5cm adjustable
- Rubber on the front leg pedals
- Fork lift tubes for transportation with telehandler
- Grid in rear bottom section
- Plate le + ri

This crush is standard equipped with a 400v motor and has a 5 pole connection with 3 phases + zero + ground.

Dimensions	Inside	Outside
Length	172 cm	238 cm
With	75 cm	132 cm
Height	170 cm	229 cm

 680 kg



Hoof trimming crush type L hydra



Options for crush type L hydra:

1701 Leg holder front

- Steel
- Zinc-plated


10086 Wheelset

 41kg

10152 Set of folding fences high

Length 180cm

Height 117cm

 50kg

1062 Front door wide opening

Opening when front gate is closed: 20-25-30cm

Also suitable for cattle with horns.

Hoof trimming crush type H

Article number 2700

Full hydraulic crush, for dairy farmer and hoof trimmer

Benefits:

- With 60cm elevator
- Silent oil pump
- 2x 18cm heavy belly band
- 12 hydraulic functions
- 5x power point 230v
- 3x led work light
- Rotating grinder holder with power plug
- Hot dip galvanized
- 10mm rubber mat
- Tubes for moving with forklift
- Power cable 4 mtr.


The next functions are hydraulic:

- Front door
- Back door
- Elevator
- Belly bands
- Front legs lifting
- Back legs lifting
- Support pedals front legs
- Support pedals back legs


This crush is standard equipped with a 400v motor and has a 5 pole connection with 3 phases + zero + ground.

Size	Inside	Outside
Length	176cm	258cm
Width	79cm	150cm
Height	175cm	226cm

 950 kg



Hoof trimming crush type H



Options crush type H:

2730 Foot pedal

- hydraulically shiftable

📦 40kg

2735 Front gate adjustable in width and can be opened forwards

📦 40kg

2710 Wheelset

- emovable

📦 60kg

2720 Fences start kit

LxBxH 174x119x201cm

📦 96kg

2722 Fence

- 200x110cm

📦 27kg

2724 coupling frame fences

- 92x201cm
- Inside with 84cm

📦 33kg

2726 Final tube fences

- 161cm

📦 10kg

1704 Leg holder

- set of 4 pcs

Hoof trimming crush type H wide

Article number: 2702

This hoof trimming crush is the same as crush type H art. 2700.

Only the width is 7cm larger, and this one is equipped with the special front door, in width adjustable and also to be opened forwards.

Benefits:


- With 60cm elevator
- Silent oil pump
- 2x 18cm heavy belly band
- 12 hydraulic functions
- 5x power point 230v
- 3x led work light
- Rotating grinder holder with power plug
- Hot dip galvanized
- 10mm rubber mat
- Tubes for moving with forklift
- Power cable 4 mtr.

The next functions are hydraulic:

- Front door
- Back door
- Elevator
- Belly bands
- Front legs lifting
- Back legs lifting
- Support pedals front legs
- Support pedals back legs


This crush is standard equipped with a 400v motor and has a 5 pole connection with 3 phases + zero + ground.

Size	Inside	Outside
Length	182cm	258cm
Width	86cm	157cm
Height	175cm	226cm

 995 kg



Hoof trimming crush type H wide



Options crush type H wide:

2730 Foot pedal

- hydraulically shiftable

40kg

2710 Wheelset

- removable

60kg

2720 Fences start kit

LxBxH 174x119x201cm

96kg

2722 ence

- 200x110cm

27kg

2724 coupling frame fences

- 92x201cm
- Inside with 84cm

33kg

2726 Final tube fences

- 161cm

10kg

1704 Leg holder

- set of 4 pcs



Henken Klauwbekapboxen B.V.

Korfgraaf 8

NL-4174GM Hellewou

henken@klauwbekapboxen.nl

www.klauwbekapboxen.nl

YOUR DEALER

